

校准证书

CALIBRATION CERTIFICATE

证书编号:

Certificate No.

委托方名称

Customer

委托方地址

Address

样品名称

Name Of Sample

制造厂商

Manufacturer

型号规格

Model/Type

器具编号

No Of Sample

证书专用章

Stamp

证书批准人

Approved by

湖北省计量测试技术研究院
证书骑缝章

湖北省计量测试技术研究院

证书编号： 号

[illegible]

Figure 6

Figure 6 shows two panels. The top panel displays a bar chart titled "Number of cases by age group". The x-axis lists age groups: 0-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, and ≥95. The y-axis represents the number of cases, ranging from 0 to 100. The bars show a significant peak in the 20-24 age group, followed by a sharp decline in older age groups.

The bottom panel displays a bar chart titled "Number of cases by sex". The x-axis lists sexes: Male and Female. The y-axis represents the number of cases, ranging from 0 to 100. The bars show a higher number of cases for males compared to females.

• **University of Illinois at Urbana-Champaign**
The student of management within the College

AND

