

Ш


Ш

Ш

Ш

Ч

Ч





Ш

Ш

Ш



Ш

Ш

Ш

!

Ш

4

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ш

W

W

W

W

W

W

W

W

W

W

W

		5
4		7
4		7
4		7
4		8
4		9
4		11
4		11

1 4 3

2 4 2

3 4 3

4 4 2

3

5 4 4 4

3

6 4 4

3

7 4

1 2 1 2 1 0 2 3


3

8 4


3

9 4 2

1 3



1



GB4706.1 3

Ю GB9706.1 3

Ю GB4943 4

GB4793

Ш

4

1	SJ/T11384-2008
2	JJG794-2004

4

1 4 Ш

2 4 Ш

3 4 Ў

74

4

4

4

Ш

4

	1000VA	
		0.00 5.00kV
		¥ 5%r 3d
		0.2 200mA
		¥ 5%r 3d
		0.2-200mA
		¥ 5%r 3d
	0.0s 999s 0.0=	
	440*380*190mm	
	24.6Kg	
	0 40Ñ	
	220V ¥ 10% 50Hz	

4

14


4

<


>

2山

山



24



3

14	24 START
34 REST	44
54	64
74	84
94	104
114	124
134	144
154	164 UP

17 Ч DOWN , 18 Ч

, ;

19 Ч / 20 Ч 2mA/20mA

20mA 2mA Ш

Ш

21 Ч 200mA

Ч

1

1.1 ,

. : Ч

Ш

1.2

1.2.1

1.2.1.1

,

Ш

1.2.1.2

1.2.1.2.1

UP , , 1

10 999s

1.2.1.2.2

DOWN

1

1

10 0.0S

1.2.2

1.2.2.1

AC/DC , . :

1.2.2.2

/

/

1.2.3

1.2.3.1

AC/DC

1.2.3.2

/

/

1.2.4

0

Ш

1.3

1 4

2 4

3 4

0 0.01

Ш

2

2.1

0,

,

Ш

┆ START Ł

Ш

┆ REST Ł

Ш

Ш

┆ REST Ł

Ш

Ш

2.2

0

┆ START Ł

Ш

Ш

┆ REST Ł

Ш

0

Ш

:

,

,

Ш

Ч

1

1

2

0m "