

,


Ш

Ш

Ш

Ш

Ш



Ш

Ш



Ч

Ч

H

H

H

Ш

H

Ш

Ш

H

Ч

Ш

Ш

H

Ш

H

H

Ч

ЕНЗЕР

Ч

Ч

Ч

æ=æw æTA æTV ær

æw ! %

æTA ! %

æTV ! %

ær ! %

200 400 m

Ч

Ч

Ч

Ш

Ч

Ч

Ч

Ч

Ш

Ш

Э

KODL T448 2000

I

0 2

0 2 V

$0.2/\sqrt{}\text{ V}$;

0 5

0 5 V

$0.5/\sqrt{}\text{ V}$ Ш

Ш

Э

Ю


Ш


Ш

4

Ш

Ш





15.

16. ZL 2014 3 0216578.1

4

14

! ! 10 C 40 C
! ! <85% 25 C
! ! <2500m
! ! 4

24

Á . 0.001% 19.99% 0.01 L 599 L
á . 0.001% 0.01 L
Æ .

! ! $X = (2\% \leq X + 2\% \leq Y) \cdot 2$;
! ! $Y = (Y \leq 2\% + X \leq 2\% \leq 34.38) \cdot 2$ W
2 ! !

æ . 0.5%

Ø .

! ! (50 120)V
Ø . ()
! ! 20% 600 L W
! ! <2.0VW

34PT

Á .PT

! ! :0.1ms | 50.0ms

! ! :

! ! 50V 120V

$$X = (2\% \leq X + 2\% \leq Y) \cdot 2$$

$$Y = (2\% \leq X + 2\% \leq Y) \cdot 2$$

2 ! !

0.2mS

50V

W

5

á . 0.5%

44 CT

! ! 0.1 á ! 50.0 á



! !

$$X = (2\% \leq X + 2\% \leq Y) \cdot 2$$

$$Y = (2\% \leq X + 2\% \leq Y) \cdot 2$$

2 ! !

1%



ŷ
Ÿ
Ž
ž
Ž RS232
ž
Ž
Ž PT
ŀ

4

P

ŷ Ł Ł

PT

’
Ш Ш

Ÿ
Ш

Ž Ł 1 Ł

ž Ł 2 Ł

Ž Ш

ž

! f (%)


! ä (Ł)

! í u (%) í u (%) —√


! ä (%)


—

Æ.



æ.





24

5.1.1



I L

5.1.2




图 5.1.3



图 5.1.4

图 5.1.5

图 5.1.6




图 5.1.7

! I CT

! R CT

! X CT

! COS ö R,X

! U $\sqrt{\quad}$

! Z U/I

! Sn U*I

! ö R X

4PT

14




图 5.1.2




图 5.1.3





图 5.1.4



24PT

WAX

PT


W(

W


KD

P

)



34PT



W_____

上

ш

ч

14

